

## SIGMA-ALDRICH

## MATERIAL SAFETY DATA SHEET

Date Printed: 02/28/2006

Date Updated: 02/16/2006

Version 1.5

## Section 1 - Product and Company Information

Product Name	IGEPAL CO-630
Product Number	542334
Brand	ALDRICH
Company	Sigma-Aldrich
Address	3050 Spruce Street SAINT LOUIS MO 63103 US
Technical Phone:	800-325-5832
Emergency Phone:	314-776-6555
Fax:	800-325-5052

## Section 2 - Composition/Information on Ingredient

Substance Name	CAS #	SARA 313	
IGEPAL CO-*	68412-54-4	No	
Ingredient Name	CAS #	Percent	SARA 313
1,4-DIOXANE	123-91-1	< 0.003	Yes
ETHYLENE OXIDE	75-21-8	< 0.0005	Yes
Formula	(C2H4O)n·C15H24O		
Synonyms	Alkylphenol ethoxylate * nonylphenoxy poly(ethyleneoxy)ethanol, branched * ethoxylated nonylphenol, branched		

## Section 3 - Hazards Identification

## EMERGENCY OVERVIEW

Irritant.

Irritating to skin.

Calif. Prop. 65 carcinogen &amp; reproductive hazard.

## HMIS RATING

HEALTH: 2

FLAMMABILITY: 1

REACTIVITY: 0

## NFPA RATING

HEALTH: 2

FLAMMABILITY: 1

REACTIVITY: 0

For additional information on toxicity, please refer to Section 11.

## Section 4 - First Aid Measures

## ORAL EXPOSURE

If swallowed, wash out mouth with water provided person is conscious. Call a physician.

## INHALATION EXPOSURE

If inhaled, remove to fresh air. If not breathing give artificial respiration. If breathing is difficult, give oxygen.

#### DERMAL EXPOSURE

In case of contact, immediately wash skin with soap and copious amounts of water.

#### EYE EXPOSURE

In case of contact, immediately flush eyes with copious amounts of water for at least 15 minutes.

---

### Section 5 - Fire Fighting Measures

---

#### FLASH POINT

212 °F 100 °C Method: closed cup

#### AUTOIGNITION TEMP

N/A

#### FLAMMABILITY

N/A

#### EXTINGUISHING MEDIA

Suitable: Carbon dioxide, dry chemical powder, or appropriate foam.

#### FIREFIGHTING

Protective Equipment: Wear self-contained breathing apparatus and protective clothing to prevent contact with skin and eyes.  
Specific Hazard(s): Emits toxic fumes under fire conditions.

---

### Section 6 - Accidental Release Measures

---

#### PROCEDURE(S) OF PERSONAL PRECAUTION(S)

Wear respirator, chemical safety goggles, rubber boots, and heavy rubber gloves.

#### METHODS FOR CLEANING UP

Absorb on sand or vermiculite and place in closed containers for disposal. Ventilate area and wash spill site after material pickup is complete.

---

### Section 7 - Handling and Storage

---

#### HANDLING

User Exposure: Do not breathe vapor. Avoid contact with eyes, skin, and clothing. Avoid prolonged or repeated exposure.

#### STORAGE

Suitable: Keep tightly closed.

---

### Section 8 - Exposure Controls / PPE

---

#### ENGINEERING CONTROLS

Mechanical exhaust required. Safety shower and eye bath.

#### PERSONAL PROTECTIVE EQUIPMENT

Respiratory: Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU). Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as

a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator.  
Hand: Compatible chemical-resistant gloves.  
Eye: Chemical safety goggles.

#### GENERAL HYGIENE MEASURES

Wash thoroughly after handling.

---

#### Section 9 - Physical/Chemical Properties

---

Appearance	Physical State: Clear viscous liquid Color: Colorless	
Property	Value	At Temperature or Pressure
pH	6.0 - 8.0	Concentration: 100 g/l
BP/BP Range	> 200 °C	760 mmHg
MP/MP Range	N/A	
Freezing Point	N/A	
Vapor Pressure	< 0.01 mmHg	25 °C
Vapor Density	N/A	
Saturated Vapor Conc.	N/A	
SG/Density	0.96 g/cm <sup>3</sup>	
Bulk Density	N/A	
Odor Threshold	N/A	
Volatile%	< 0.5 %	
VOC Content	N/A	
Water Content	N/A	
Solvent Content	N/A	
Evaporation Rate	N/A	
Viscosity	0.012 - 0.014 Pas	100 °C
Surface Tension	N/A	
Partition Coefficient	N/A	
Decomposition Temp.	N/A	
Flash Point	212 °F 100 °C	Method: closed cup
Explosion Limits	N/A	
Flammability	N/A	
Autoignition Temp	N/A	
Refractive Index	1.508	
Optical Rotation	N/A	
Miscellaneous Data	N/A	
Solubility	Solubility in Water: Soluble.	

N/A = not available

---

#### Section 10 - Stability and Reactivity

---

##### STABILITY

Stable: Stable.

Conditions to Avoid: Heat. spark open flame

Materials to Avoid: Strong oxidizing agents, Strong reducing agents.

##### HAZARDOUS DECOMPOSITION PRODUCTS

Hazardous Decomposition Products: Carbon monoxide, Carbon dioxide.

##### HAZARDOUS POLYMERIZATION

Hazardous Polymerization: Will not occur

---

#### Section 11 - Toxicological Information

---

##### ROUTE OF EXPOSURE

Skin Contact: Causes skin irritation.  
Skin Absorption: May be harmful if absorbed through the skin.  
Eye Contact: May cause eye irritation.  
Inhalation: Material is irritating to mucous membranes and upper respiratory tract. May be harmful if inhaled.  
Ingestion: May be harmful if swallowed.

#### SIGNS AND SYMPTOMS OF EXPOSURE

Nausea, headache, and vomiting. Exposure can cause: To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

#### TOXICITY DATA

Oral  
Rat  
4000 mg/kg  
LD50

#### IRRITATION DATA

Skin  
Remarks: Moderate irritation effect  
Eyes  
Remarks: Severe irritation effect Mild irritation effect

---

#### Section 12 - Ecological Information

---

#### ACCUMULATION

Bioaccumulation Potential: Indication of bioaccumulation.

#### ACUTE ECOTOXICITY TESTS

Test Type: LC50 Fish  
Species: *Lepomis macrochirus* (Bluegill)  
Time: 96 h  
Value: > 10 mg/l

---

#### Section 13 - Disposal Considerations

---

#### APPROPRIATE METHOD OF DISPOSAL OF SUBSTANCE OR PREPARATION

Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber. Observe all federal, state, and local environmental regulations.

---

#### Section 14 - Transport Information

---

#### DOT

Proper Shipping Name: Environmentally hazardous substances, liquid, n.o.s.  
UN#: 3082  
Class: 9  
Packing Group: Packing Group III  
Hazard Label: Class 9  
PIH: Not PIH

#### IATA

Non-Hazardous for Air Transport: Non-hazardous for air transport.

---

## Section 15 - Regulatory Information

---

### EU ADDITIONAL CLASSIFICATION

Symbol of Danger: Xi  
Indication of Danger: Irritant.  
R: 38  
Risk Statements: Irritating to skin.

### US CLASSIFICATION AND LABEL TEXT

Indication of Danger: Irritant.  
Risk Statements: Irritating to skin.  
US Statements: Calif. Prop. 65 carcinogen & reproductive hazard.

### UNITED STATES REGULATORY INFORMATION

SARA LISTED: No  
TSCA INVENTORY ITEM: Yes

### UNITED STATES - STATE REGULATORY INFORMATION

#### CALIFORNIA PROP - 65

California Prop - 65: This product is or contains chemical(s) known to the state of California to cause cancer. This product is or contains chemical(s) known to the state of California to cause female reproductive toxicity.

#### CANADA REGULATORY INFORMATION

WHMIS Classification: This product has been classified in accordance with the hazard criteria of the CPR, and the MSDS contains all the information required by the CPR.  
DSL: Yes  
NDSL: No

---

## Section 16 - Other Information

---

### DISCLAIMER

For R&D use only. Not for drug, household or other uses.

### WARRANTY

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Inc., shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale. Copyright 2006 Sigma-Aldrich Co. License granted to make unlimited paper copies for internal use only.